

Boat Manufactured By:



901 Cowan Drive • Lebanon, MO 65536
 (417) 588-9787
www.g3boats.com

G3 BOATS 1756 SCDLX

Length	16' 10"
Beam	6' 5"
Dry Weight (Boat Mfr. Pub)	800 lbs
Maximum HP	70 hp
Fuel Capacity	21 gal
Weight as Tested	1,541 lbs

F60TLR

Horsepower	60 hp
Displacement	60.8 cu. in.
Weight (Estimated)	237 lbs
Gear Ratio	1.85

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
------------------------	----

PROPELLER(S)

Series	Aluminum Series
Diameter x Pitch	13 3/8 x 13
Yamaha Part #	6H5-45945-00-EL
Propeller Material	Aluminum

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	88° F / 80° F
Elevation (in feet above sea level)	911'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes full tank of fuel, one battery, safety and test equipment. Fuel consumption data gathered with Yamaha Command Link® fuel management system. Speed data gathered with GPS receiver.

YPB#: PB_G3B_1756SCDLX_F60TLR_6-16-09_ALM



Engine: Yamaha F60TLR

Boat: G3 Boats 1756 SCDLX

Configuration: Single

Test Date: 16-Jun-2009



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	3.4	0.4	8.5
1500	4.7	0.7	6.71
2000	5.9	1	5.9
2500	7	1.2	5.83
3000	11.4	1.6	7.13
3500	15.7	1.6	9.81
4000	20.8	2.2	9.46
4500	24	2.6	9.23
5000	28	3.1	9.03
5500	30.6	4	7.65
6050	33.4	5.6	5.96
Seconds to Plane: 3.93			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.