



PERFORMANCE BULLETIN

Engine: Yamaha VF175LA V

MAX SHO®


Boat: Xpress® X 19

Configuration: Single

Test Date: 9-May-2015



PERFORMANCE DATA



XPRESS® X 19

Length	19' 0"
Beam	7' 11"
Dry Weight (Boat Mfr. Pub)	1,390 lbs
Maximum HP	200 hp
Fuel Capacity	30.00 gal
Weight as Tested	2,722 lbs

VF175LA V MAX SHO®

Horsepower	175 hp
Induction	EFI
Displacement	2.8 L
Weight (Estimated)	480 lbs
Gear Ratio	1.86

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3 on Manual Jack Plate
Ventilation Plate Height	5 3/4" Above Boat Bottom

PROPELLER(S)

Series	V MAX SHO®
Diameter x Pitch	15 1/8" x 23"
Yamaha Part #	6CB-45974-10-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	80° F / 70° F
Elevation (in feet above sea level)	550'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 28 gallons of fuel, 3 batteries, bow-mounted trolling motor, 10" manual jack plate, safety and test gear.

YPB#: PB_XPR_X19_VF175LA_2015-05-09_ALM

Boat Manufactured By:

Xpress
199 Extrusion Place • Hot Springs, AR
(501) 262-5300

www.xpressboats.com (<http://www.xpressboats.com>)



NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed

using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.