

Boat Manufactured By:



754 Co Rd 12 • Midway, AR 72651

(870) 481-5135

www.basscat.com

BASS CAT® LYNX

Length	20' 8"
Beam	8' 0"
Dry Weight (Boat Mfr. Pub)	1,930 lbs
Maximum HP	300 hp
Fuel Capacity	60 gal
Weight as Tested	2,848 lbs

VF250LA V MAX SHO®

Horsepower	250 hp
Induction	EFI
Displacement	4.2 L
Weight (Estimated)	505 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2 on 8" Hydraulic Jack Plate
------------------------	-------------------------------

PROPELLER(S)

Series	V MAX SHO®
Diameter x Pitch	15 1/8 x 25
Yamaha Part #	6CB-45972-11-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	95° F / 86° F
Elevation (in feet above sea level)	398'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 52 gallons of fuel, 1 battery, bow-mounted trolling motor, 8" hydraulic jack plate, safety and test gear.

YPB#: PB_BCB_Lynx_VF250LA_2017-07-26_BSS



Engine: Yamaha VF250LA V MAX SHO®

Boat: Bass Cat® Lynx

Configuration: Single

Test Date: 26-Jul-2017



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.9	1.6	3.69
1500	7.2	2.9	2.48
2000	8.2	4.3	1.91
2500	21.2	5.0	4.24
3000	28.8	6.8	4.24
3500	34.3	9.8	3.50
4000	39.7	12.0	3.31
4500	48.3	16.3	2.96
5000	61.4	16.8	3.66
5500	70.4	20.5	3.42
6100	76.7	23.3	3.29
Time to Plane: 3.59			
0-30 MPH: 6.20			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.