

Boat Manufactured By:



BENNINGTON 27QSBAX2

Length	27' 11"
Beam	10' 0"
Dry Weight (Boat Mfr. Pub)	5,200 lbs
Maximum HP	1,000 hp
Fuel Capacity	108 gal
Pontoon # / Diameter	3 / ESP
Weight as Tested	7,528 lbs

LF350XSA2 / F350XSA2

Horsepower	350 hp
Induction	EFI/VCT/DOHC
Displacement	4.3L
Weight (Estimated)	629 - 629 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
------------------------	----

PROPELLER(S)

Series	Saltwater Series II HP
Diameter x Pitch	15 x 20
Yamaha Part #	6KB-45974-00-00 / 6KA-45974-00-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	78° F / 68° F
Elevation (in feet above sea level)	860'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 75 gallons of fuel, 3 batteries, safety and test equipment.

YPB#: PB_BNT_27QSBAX2_TW_LF350XSA2_9-4-2024_PNT



Engine: Yamaha LF350XSA2 / F350XSA2

Boat: Bennington 27QSBAX2

Configuration: Twin

Test Date: 4-Sep-2024



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.1	2.5	2.49
1500	8.8	4.3	2.06
2000	16.4	6.6	2.50
2500	22.8	9.4	2.42
3000	28.6	12.8	2.23
3500	35.0	16.8	2.08
4000	40.9	22.3	1.84
4500	45.8	28.3	1.62
5000	50.9	37.4	1.36
5500	55.9	45.5	1.23
6000	61.7	60.3	1.02
0-20 MPH: 3.98 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.