

Boat Manufactured By:


199 Extrusion Place • Hot Springs, AR

(0:501) 262-5300

www.xpressboats.com

XPRESS X20 PFC

Length	21' 0"
Beam	7' 11"
Dry Weight (Boat Mfr. Pub)	1,580 lbs
Maximum HP	250 hp
Fuel Capacity	45 gal
Weight as Tested	2,457 lbs

VF200LA

Horsepower	200 hp
Induction	EFI/DOHC
Displacement	4.2L
Weight (Estimated)	505 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3
------------------------	----

PROPELLER(S)

Series	VMAX SHO
Diameter x Pitch	15-1/8 x 23
Yamaha Part #	6CB-45974-11-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	80° F / 78° F
Elevation (in feet above sea level)	312"
Elevation (in feet above sea level)	5-10 MPH

COMMENTS

Test weight includes 35 gallons of fuel, 1 battery, battery charger, 24 volt trolling motor, hydraulic jackplate, safety and test equipment.

YPB#: PB_XPR_X20PFC_VF200LA_07-30-18_ALM



Engine: Yamaha VF200LA

Boat: Xpress X20 PFC

Configuration: Single

Test Date: 29-Jul-2018



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.9	1.4	4.21
1500	7.8	2.5	3.12
2000	12.6	3.4	3.71
2500	18.8	4.5	4.18
3000	31.8	6.5	4.89
3500	37.6	9.3	4.04
4000	43.8	12.1	3.62
4500	49.5	15.5	3.19
5000	55.6	18.2	3.06
5500	61.4	19.3	3.18
6000	65.7	19.7	3.33
0-30 MPH: 3.99 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.