

Boat Manufactured By:



BENNINGTON 27QXSBWAX2

Length	28' 3"
Beam	10' 0"
Dry Weight (Boat Mfr. Pub)	4,791 lbs
Maximum HP	900 hp
Fuel Capacity	146 gal
Pontoon # / Diameter	3 / ESP
Weight as Tested	7,639 lbs

LF350XSA2 / F350XSA2

Horsepower	350 hp
Induction	EFI/VCT/DOHC
Displacement	4.3L
Weight (Estimated)	629 - 629 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3
------------------------	----

PROPELLER(S)

Series	Saltwater Series II HP
Diameter x Pitch	15-1/4 x 19
Yamaha Part #	6KB-45972-00-00 / 6KA-45972-00-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	3
Air / Water Temperature (Fahrenheit)	75° F / 72° F
Elevation (in feet above sea level)	0'
Wind Velocity	10-15 MPH

COMMENTS

Test weight includes 120 gallons of fuel, 2 batteries, safety and test equipment.

YPB#: PB_BNT_27QXSBWAX2_TW_LF350XSA2_2-12-24_PNT



Engine: Yamaha LF350XSA2 / F350XSA2

Boat: Bennington 27QXSBWAX2

Configuration: Twin

Test Date: 12-Feb-2024



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.6	2.5	2.22
1500	8.2	4.4	1.87
2000	12.8	6.6	1.95
2500	20.5	9.5	2.17
3000	26.5	13.2	2.01
3500	32.1	17.1	1.88
4000	37.9	22.7	1.67
4500	42.8	28.7	1.49
5000	48.0	37.0	1.30
5500	53.2	47.7	1.12
6000	59.2	63.0	0.94
0-20 MPH: 4.15 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.