

Boat Manufactured By:



Box 708 • Richland, MO 65556
 (573) 765-3265
www.hamptonpontoons.com

HAMPTON® 2485®

Length	24' 0"
Beam	8' 6"
Dry Weight (Boat Mfr. Pub)	1,775 lbs
Maximum HP	135 hp
Fuel Capacity	30 gal
Pontoons Diameter	2 / 25"
Weight as Tested	2,348 lbs

T60TLR

Horsepower	60 hp
Induction	EFI
Displacement	60.8 cu. in.
Weight (Estimated)	267 lbs
Gear Ratio	2.33

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#1
------------------------	----

PROPELLER(S)

Series	Dual-Thrust Series
Diameter x Pitch	14 x 11
Yamaha Part #	68S-45941-00-EL
Propeller Material	Aluminum

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	70° F / 76° F
Elevation (in feet above sea level)	744'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 1/2 tank of fuel, 1 battery, safety and test equipment. Fuel consumption data gathered with Yamaha Command Link® fuel management system. Speed data gathered with GPS receiver.

YPB#: PB_HMP_2485_T60TLR_2010-10-14_PNT



Engine: Yamaha T60TLR

T60TLR

Boat: Hampton® 2485®

Configuration: Single

Test Date: 14-Oct-2010

PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	3.2	0.3	10.67
1500	4.3	0.6	7.17
2000	5.7	0.8	7.13
2500	6.8	1.1	6.18
3000	8.4	1.5	5.6
3500	10.5	1.7	6.18
4000	13	2.2	5.91
4500	15.3	2.8	5.46
5000	17.4	3.6	4.83
5600	19.5	5	3.9

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.