

Boat Manufactured By:



3101 South US Highway 1 • Fort Pierce, Florida 34982
(772) 429-2525
twinvee.com

TWIN VEE 400 GFX2

Length	40' 0"
Beam	12' 0"
Dry Weight (Boat Mfr. Pub)	11,984 lbs
Maximum HP	1,800 hp
Fuel Capacity	750 gal
Weight as Tested	15,700 lbs

LF350XSA2 / F350XSA2 / LF350XSA2 / F350XSA2

Horsepower	350 hp
Induction	EFI/VCT/DOHC
Displacement	4.3L
Weight (Estimated)	629 - 629 - 629 - 629 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#4
------------------------	----

PROPELLER(S)

Series	Saltwater Series II
Diameter x Pitch	14-3/4 x 23
Yamaha Part #	6CF-45974-20-00 / 6CE-45974-20-00 / 6CF-45974-20-00 / 6CE-45974-20-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	4
Air / Water Temperature (Fahrenheit)	88° F / 85° F
Elevation (in feet above sea level)	0'
Wind Velocity	10-15 MPH

COMMENTS

Test weight includes 200 gallons of fuel, 6 batteries, safety and test equipment.

YPB#: PB_TWN_400 GFX2_QD_LF350XSA2_06/17/2024_CAT



Engine: Yamaha LF350XSA2 / F350XSA2 / LF350XSA2 / F350XSA2

Boat: Twin Vee 400 GFX2

Configuration: Quad

Test Date: 17-Jun-2024



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	7.1	5.1	1.41
1500	9.7	9.0	1.08
2000	18.5	14.5	1.28
2500	24.1	21.5	1.12
3000	30.8	28.8	1.07
3500	38.1	38.6	0.99
4000	44.5	48.9	0.91
4500	51.2	62.2	0.82
5000	57.8	81.7	0.71
5500	63.0	113.0	0.56
5900	67.3	121.2	0.56
0-20 MPH: 4.22 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.