

Boat Manufactured By:



682 Brian Way • Medford, OR
(320) 632-5481
www.riverhawkboats.net

RIVER HAWK® 22 PRO

Length	22' 0"
Beam	8' 6"
Dry Weight (Boat Mfr. Pub)	3,500 lbs
Maximum HP	350 hp
Fuel Capacity	80 gal
Weight as Tested	5,373 lbs

F115XB / LF115XB

Horsepower	115 hp
Induction	EFI
Displacement	111.8 cu. in.
Weight (Estimated)	386 lbs
Gear Ratio	2.15

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
Ventilation Plate Height	1" Above Boat Bottom

PROPELLER(S)

Series	Painted Stainless Steel
Diameter x Pitch	13 x 17
Yamaha Part #	688-45930-02-98
Propeller Material	Painted Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	95° F / 82° F
Elevation (in feet above sea level)	258'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes full tank of fuel, 3 batteries, safety and test gear.

YPB#: PB_RVR_22Pro_1_F115XB_2015-09-15_ALM



Engine: Yamaha F115XB / LF115XB

Boat: River Hawk® 22 Pro

Configuration: Twin

Test Date: 15-Sep-2015

PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.3	1.1	4.82
1500	6.6	1.8	3.67
2000	8.1	2.7	3
2500	10.1	4	2.53
3000	14.8	5.1	2.9
3500	21.1	6	3.52
4000	26.2	8	3.28
4500	30.7	9.9	3.1
5000	34.5	12	2.88
5500	37.1	14.6	2.54
6300	43.8	21.5	2.04
Time to Plane : 3.83
 0-30 MPH: 6.15			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.