

Boat Manufactured By:
ROBALO
 PO Box 928 • Nashville, GA 31639
 (229) 686-7481
 www.robalo.com

ROBALO® R160

Length	16' 4"
Beam	7' 0"
Dry Weight (Boat Mfr. Pub)	1,364 lbs
Maximum HP	90 hp
Fuel Capacity	12 gal
Weight as Tested	1,977 lbs

F70LA

Horsepower	70 hp
Induction	EFI
Displacement	60.8 cu. in.
Weight (Estimated)	253 lbs
Gear Ratio	2.33

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3
Ventilation Plate Height	3/4" Above Boat Bottom

PROPELLER(S)

Series	Aluminum
Diameter x Pitch	13 1/2 x 15
Yamaha Part #	6E5-45947-00-00
Propeller Material	Aluminum

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	65° F / 67° F
Elevation (in feet above sea level)	253'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes full tank of fuel, 1 battery, safety and test gear.

YPB#: PB_ROB_R160_F70LA_2015-03-25_OCC



Engine: Yamaha F70LA

Boat: Robalo® R160

Configuration: Single

Test Date: 25-Mar-2015

PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	3.7	0.3	12.33
1500	5.1	0.6	8.5
2000	6.3	1	6.3
2500	7.6	1.5	5.07
3000	10.3	1.9	5.42
3500	17.4	2.2	7.91
4000	21.5	2.5	8.6
4500	24.8	3.2	7.75
5000	28.6	4.1	6.98
5500	32.2	5.3	6.08
6300	37.4	6.3	5.94
Time to Plane : 4.04
 0-20 MPH: 7.16			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.