

Boat Manufactured By:

POLAR KRAFT

300 East Chicago Street • Syracuse, IN 46567

{0:(574) 457-2082}

www.polarkraft.com

POLAR KRAFT® BASS TX 195 PRO

Length	19' 6"
Beam	8' 1"
Dry Weight (Boat Mfr. Pub)	1,290 lbs
Maximum HP	150 hp
Fuel Capacity	24 gal
Weight as Tested	2,463 lbs

VF150LA V MAX SHO®

Horsepower	150 hp
Induction	EFI
Displacement	2.8 L
Weight (Estimated)	480 lbs
Gear Ratio	2

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#1
------------------------	----

PROPELLER(S)

Series	Reliance®
Diameter x Pitch	13 3/4 x 19
Yamaha Part #	68F-45974-10-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	85° F / 75° F
Elevation (in feet above sea level)	860'
Elevation (in feet above sea level)	5-10 MPH

COMMENTS

Test weight includes 15 gallons of fuel, 2 batteries, bow-mounted trolling motor, safety and test gear.

YPB#: PB_PLK_BassTX105Pro_VF150LA_2016-08-02_ALM



Engine: Yamaha VF150LA V MAX

VF150LA V MAX SHO®

SHO®

Boat: Polar Kraft® Bass TX 195 Pro

Configuration: Single

Test Date: 2-Aug-2016

PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	4.4	0.7	6.29
1500	6.5	1.4	4.64
2000	8	2.1	3.81
2500	15.2	3.1	4.9
3000	23.3	3.6	6.47
3500	28.8	4.8	6
4000	33.5	6.7	5
4500	38.6	8.7	4.44
5000	44	12.3	3.58
5500	48	14.7	3.27
5950	52.4	15.4	3.4
0-20 MPH: 4.2
			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.