



XPRESS H20 BASS

Length	20' 0"
Beam	7' 9"
Dry Weight (Boat Mfr. Pub)	1,365 lbs
Maximum HP	175 hp
Fuel Capacity	38 gal
Weight as Tested	2,412 lbs

VF175LA

Horsepower	175 hp
Induction	EFI/VCT/DOHC
Displacement	2.8L
Weight (Estimated)	480 lbs
Gear Ratio	1.86:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3
Ventilation Plate Height	1 3/4" inside plate over outside

PROPELLER(S)

Series	Pro
Diameter x Pitch	14-1/2 x 21
Yamaha Part #	66K-45976-B0-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	75° F / 62° F
Elevation (in feet above sea level)	299'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 17 gallons of fuel, 1 battery, 2 people, 1-10' power pole, 10" manual jackplate, 24 volt trolling motor, Charger, safety and test equipment.

YPB#: PB_XPR_H20 Bass_VF175LA_04-01-24_ALM



Engine: Yamaha VF175LA

Boat: Xpress H20 Bass

Configuration: Single

Test Date: 1-Apr-2024



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.2	0.9	5.84
1500	7.3	1.5	5.05
2000	11.2	2.5	4.51
2500	21.8	3.0	7.29
3000	29.1	3.7	7.78
3500	35.1	5.1	6.84
4000	40.9	6.8	6.04
4500	45.3	8.3	5.46
5000	50.2	12.0	4.20
5500	55.2	14.7	3.75
6130	60.0	18.6	3.23
0-20 MPH: 3.90 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.