

Boat Manufactured By:



P.O. Box 26 • Amory, MS 38821
(662) 256-5636

www.nauticstarboats.com

NAUTIC STAR 215 XTS SHALLOW BAY

Length	21' 2"
Beam	8' 2"
Dry Weight (Boat Mfr. Pub)	1,600 lbs
Maximum HP	200 hp
Fuel Capacity	51 gal
Weight as Tested	2,946 lbs

F150LB

Horsepower	150 hp
Induction	EFI
Displacement	2.7L
Weight (Estimated)	478 lbs
Gear Ratio	2.00

ENGINE MOUNTING HEIGHT

Mounting Hole Position	2
Jack Plate	6" Hydraulic

PROPELLER(S)

Series	Reliance
Diameter x Pitch	14-1/4 x 18
Yamaha Part #	68F-45978-20-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	82° F / 72° F
Elevation (in feet above sea level)	234 ft'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 7/8 tank of fuel, 1 battery, optional 6" hydraulic jack plate, safety and test gear.

YPB#: PB_NST_215XTSShallowBay_F150LB_2016-10-05_BAY



Engine: Yamaha F150LB

Boat: Nautic Star 215 XTS Shallow Bay

Configuration: Single

Test Date: 5-Oct-2016



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	4.4	0.7	6.29
1500	6.1	1.2	5.08
2000	7.4	2.0	3.70
2500	9.0	3.3	2.73
3000	13.2	4.4	3.00
3500	24.5	5.8	4.22
4000	29.7	6.3	4.71
4500	34.3	8.2	4.18
5000	38.6	10.4	3.71
5500	42.9	14.2	3.02
6050	45.6	16.0	2.85

Time to Plane: 3.44 sec **0-30 MPH: 6.76 sec**

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.